




Presenting

**NEXT GENERATION
SCREEN SYSTEMS**

- » *Fine Italian Designs*
- » *5 Year Replacement Warranty*
- » *Weather Tested*



MeshWorkz




50,297 screens installed.
6,315 families served.
1 promise. *Always kept.*

Since 2011, MeshWorkz has introduced some of the finest insect screens to the world. Our screens are easy to use and easier to maintain. We promise to make our customer's life simple and worry-free. And we are proud to say that with each new product, we are doing exactly that.

INTRODUCING

PVL29 | A Screen Revolution!



PERFECT FOR:

Sliding Windows & Doors | Slimline Windows | Sliding Folding Doors


PVL29 | Vertica



Max. Width: 1,800 mm
Max. Height: 2,400 mm



Note: Maximum Height and Width will be determined by the Height-Width Ratio

PVL29 | Uno



Max. Width: 4,500 mm | Max. Height: 3,000 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio




PVL29 | Centra



Max. Width: 4,000 mm | Max. Height: 3,000 mm



Note: Maximum Height and Width will be determined by the Height-Width Ratio

PVL29 | Proxima




Max. Width: 9,000 mm | Max. Height: 3,000 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio



PVL29 | Corner

Max. Width: 4,500 mm | Max. Height: 3,000 mm



Note: Maximum Height and Width will be determined by the Height-Width Ratio



PVL22 | Smooth as silk

PREMIUM MESH

High quality anti-dust and water-proof polyester mesh

MAGNETIC LOCKING

Easy lock and release.

INSIDE-OUT

Can be operated from both inside and outside.

SMOOTH FINISH

Smooth aluminum frame in Anodized, Powder Coated and Wooden Finish

PERFECT FOR:

Sliding Windows & Doors | Sliding Folding Doors | Casements

PVL22 | Vertica



Max. Width: 1,800 mm
Max. Height: 2,400 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio


PVL22 | Uno




Max. Width: 2,500 mm | Max. Height: 3,000 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio


Recess Installation Details




Front Installation Details




Recess Installation Details



Front Installation Details




PVL22 | Centra



Max. Width: 2,500 mm | Max. Height: 3,000 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio


PVL22 | Proxima




Max. Width: 6,000 mm | Max. Height: 3,000 mm

Note: Maximum Height and Width will be determined by the Height-Width Ratio


Recess Installation Details




Front Installation Details



Recess Installation Details



Front Installation Details





Actual location



Actual location



Actual location



Actual location



Actual location



Actual location



Actual location





Actual location



MeshWorkz

www.MeshWorkz.com

UAE Office: Global Window Metal Mesh Factory LLC, PO Box: 525240, Sharjah.

Call: +971 6533 4459 | **Email:** sales@meshworkz.ae

India Office: Kelegent MetaPlast India Pvt. Ltd., Survey No – 24 / 2 , Shed No – 7, Jadhavrao Industrial Estate,
Behind Nanded City Technical Office, Inside Nanded city, Sinhagad Road, Pune – 411041, India.

Call: +91 82376 33555 | **Email:** info@meshworkz.com