

imarble

INCREDIBLY ITALIAN

800X1600mm

CONTOUR
COLLECTION

THE

INSIGNIA

OF

GRANDEUR

1200X1200mm

INDIA'S LUXURY TILE BRAND

QUTONE

QUTONE



Contour Collection of iMarble is curated to convert the Ordinary Spaces into a Dream Living Spaces. The blend of Opulent Designs and Magnificent Colours articulate the Grandeur and Luxury for spell bounding experience.

imarble
INCREDIBLY ITALIAN

CONTOUR COLLECTION

800x1600mm - 01

1200x1200mm - 14





Alexa Crema
Polished




Adrina Gris
Polished



Canary Bianco
Polished



Callie Bianco
Polished





Diasy Grey
Polished



Dorico Steel
Polished



Emmy Dark
Polished



Eliza Beige
Polished





Flona Grey
Polished



French Forest
Polished



Gemma Onyx
Polished



Filo Beige
Polished





Imperial Bianco
Polished



Vera Onyx
Polished



Imperial Grey
Polished



Irish Natura
Polished





IVR Crema Perfetta
Polished



Marbo Carnice
Polished



Statuario New
Polished



Stutario Skylar
Polished





Roman Beige
Polished



Royal Pulpis Grey
Polished




Matrix Gris
Matt



Also available in 1200x1200mm



Matrix Nero
Matt

Also available in 1200x1200mm






Verona Bianco
Matt



Verona Gris
Matt



Verona Beige
Matt



Verona Taupe
Matt



Callie Bianco
Polished



Flona Grey
Polished




Also available in 800x1600mm



Eliza Beige
Polished

Also available in 800x1600mm



Emmy Dark
Polished



Filo Beige
Polished



Gemma Onyx
Polished



Also available in 800x1600mm




Roman Beige
Polished



Royal Pulpis Bianco
Polished



Royal Pulpis Grey
Polished



Vera Onyx
Polished



Also available in 800x1600mm



Matrix Gris
Matt

Also available in 800x1600mm



Matrix Nero
Matt



Verona Bianco
Matt



Verona Gris
Matt



Verona Beige
Matt



Verona Tope
Matt



Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

CHARACTERISTIC	TEST METHOD	REQUIREMENTS	QUTONE STANDARD
DIMENSIONS & SURFACE QUALITY			
Deviation in Length & Width	ISO-10545-02	± 0.10%	Within Criteria
Deviation in Thickness	ISO-10545-02	± 5.00%	Within Criteria
Straightness of Sides	ISO-10545-02	± 0.10%	Within Criteria
Rectangularity	ISO-10545-02	± 0.10%	Within Criteria
Surface Flatness	ISO-10545-02	± 0.50%	Within Criteria
Surface Quality	ISO-10545-02	Min. 95% of the Tiles shall be free from visible defects that would impair the appearance of a major area of the Tiles	Within Criteria
PHYSICAL PROPERTIES			
Water Absorbtion	ISO 10545-03	Average ≤ 0.08%, Individual 0.10% Max.	Within Criteria
Modulus of Rapture	ISO 10545-04	R ≥ 35 N/mm ²	Compliant
Breaking Strength	ISO 10545-04	Min. 1300 N	Compliant
Moisture Expansion	IS 15622 - 3	0.02 Max	Compliant
Moh's Hardness	EN 101	Min. 5	Compliant
Surface Abration Resistance	ISO 10545-07	Class II Min.	Compliant
Linear Thermal Expansion	ISO 10545-08	Max. 6.0 x 10 ⁻⁶	Compliant
Thermal Shock Resistance	ISO 10545-09	Min. 10 Cycles	Compliant
Crazing Resistance	ISO 10545-11	4 Cycles at 7.5 Bar Min.	Compliant
Impact Resistance	ISO 10545-05	0.55 Min.	Compliant
Frost Resistance	ISO 10545-12	Required	Compliant
Resistance to Deep Abration (Unglazed Tiles)	ISO 10545-06	175 Max.	Compliant
Bulk Density	IS 15622 - 2	2.20 g/cc	Compliant
CHEMICAL PROPERTIES			
Resistance to High & Low Concentrations of Acids & Alkalis	ISO 10545-13	As per Mfg.	No visible effect
Resistance to household chemicals & swimming pool Salts	ISO 10545-13	Min. GB	Compliant
Stain Resistance	ISO 10545-14	Min. Class 3	Compliant

Dimension	Slab/Box	Sq. Mtr.	Sq. Ft.
800x1600mm	2	2.56	27.56
1200x1200mm	2	2.88	31.00

Disclaimer: Product images shown in this Catalogue are for Design Representation. All efforts are made to show accurate colour of the product but actual product colour may differ from the printed image due to printing limitations. It is advised to see the product samples for actual colour reference • Shade variation is inherent characteristic of ceramic products. Hence different sizes and batches of same design may have variation in colours • Please follow the Tile Laying instructions printed on the box before installing the Tiles • Company may change the designs, colours, randomness or book-match without prior intimation • Due to continuous technology upgrade technical specification of the products may change without prior intimation.



QUTONE CERAMIC PVT. LTD.

Corporate

11, Titanium, Corporate Road, Opp. Prahalad Nagar Garden,
Satellite, Ahmedabad - 380015, Gujarat, India.
info@qutoneceramic.com

QUTONE EXPERIENCE CENTERS

Ahmedabad

Sindhu Bhavan Road, Nr. Sindhu Bhavan, Bodakdev,
Ahmedabad - 380054. Gujarat. Cell: +91 70690 01513

Bangalore

Casa Qutone, #41, St. John's Church Road, 1st Floor, Above
GIRIS, Shivajinagar, Opp. Coles Park, Bangaluru- 560051.
Karnataka. Cell: +91 8040922655

Chandigarh

Plot No. 1619 (JLPL), Industrial Area, Sector 82, Airport Road,
Mohali- SAS Nagar, Mohali- 160055. Punjab.
Cell: +91 9915040096

Chennai

41/158, North Usman Road, T.Nagar, Chennai- 600017.
Tamil Nadu. Cell: +91 9909042354

Cochin

288 J, M. R. Arcade, Pathadipalam, Metro Piller No. 333,
South Kalamaserry, Cochin- 682033. Kerala.
Cell: +91 9846096516

Delhi

Plot No. 117, Sector 44, Gurgaon - 122003, Haryana.
Tel.: +91 124 4223770

Hyderabad

Central Square, Ground Floor, 8-2-309/7/1, Road Number 14,
GS Nagar, Nandi Nagar, Banjara Hills, Hyderabad - 500034.
Telengana. Cell: +91 7680906394

Jaipur

Plot No. 8, 2nd Floor, Rajeev Vihar, Opp. Metro Pillar No. 30,
Near Manasrover Metro Station, Jaipur- 302020.
Rajasthan. Cell: +91 9929604641

Morbi

Survey No. 163/2, 8-A National Highway Ta. Wankaner,
Dhuva - 363621. Gujarat. Cell: +91 9983523637

Mumbai

2nd Floor, Chedda Arcade, Khira Nagar, S V Road,
Santacruz (West), Mumbai- 400054. Maharashtra.
Cell: +91 9909042399

Pune

259, Shaniwar Peth, Vishnukrupa Hall Building,
Pune - 411030. Maharashtra. Cell: +91 7718856710

